EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	CLASEMAN-GEORGE.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:04
S2	9	"IEEE 802.3 clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/24 21:02
S3	4947	"IEEE 802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/24 21:02
S4	26	"IEEE 802.3" with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/24 21:02
S5	12733	register same port same block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:05
S6	16	register same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:06
S7	9	register with "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:54
S8	44	register same port same block same ("operational code" "op code")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:05

EAST Search History

S9	100448	(711/202 377/64).ccls. "370".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:06
S10	1879	(711/202 377/64).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:06
S11	5	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:06
S12	13	port same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:08
S13	1	STA same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03
S14	6	station adj manage$ same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:09
S15	0	mask same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:09
S16	1	(mask near2 register) and "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:11

EAST Search History

S17	5605	register near2 bank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:11
S18	183	S17 same (register near2 block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:11
S19	10	S18 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:12
S20	26	S18 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:12
S21	1	S18 and "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:13
S22	0	S18 and "clause 45"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:13
S23	4947	"IEEE 802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:13
S24	2	S18 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:13

S25	8	"stream looping"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:25
S26	32405	location same control same register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:25
S27	24225	(location and control) with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:25
S28	5851	(location and control) near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:28
S29	449	S28 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:26
S30	19	S29 and "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:26
S31	53	S29 and "802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 03:04
S32	582	((location and control) near2 register) same block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:29

S33	22	S32 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:27
S34	11	((location and control) near2 register) same block same port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:29
S35	1413	(location same control) near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:28
S36	235	((location same control) near2 register) same block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:29
S37	7	((location same control) near2 register) same block same port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:29
S38	0	MMD same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:15
S39	0	MMD and "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:41
S40	1	(control adj engine) with ("operational code" "op code")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:42

EAST Search History

S41	1445	(control) with ("operational code" "op code")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:42
S42	476	(control) with ("operational code" "op code") with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:42
S43	5	(control) with ("operational code" "op code") with register with port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:42
S44	19888	register with pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03
S45	2074	register with pointer with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03
S46	1	register with pointer with (block adj selector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03
S47	433	register with pointer with selector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03
S48	39	S47 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03

EAST Search History

S49	5400	mask adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:24
S50	33	(advantage benefit) with S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:20
S51	525	S49 with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:32
S52	107	S49 with block near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:24
S53	8	S52 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:25
S54	0	S49 same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:26
S55	1	S49 and "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:26
S56	167	S49 and "802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:26

EAST Search History

S57	0	S49 same "802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:26
S58	43	S49 with screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:34
S59	15	S49 with fast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:37
S60	0	S49 with baseline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:37
S61	46	S49 with parameters	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:38
S62	155	S49 with certain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:38
S63	82	S49 near5 certain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:38
S64	11	S62 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:41

S65	32	S62 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:41
S66	3	S62 and "802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:41
S67	52	register with "802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 03:08
S68	4	S67 and register.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 03:09
S69	7	S67 and physical.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 03:09
S70	58	"pointer handling"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 08:15
S71	100448	(711/202 377/64).ccls. "370".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 08:15
S72	4	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 08:15

Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

□ Search Session History

Mon, 26 Jun 2006, 8:21:20 AM EST

Search Query Display

Edit an existing query or
compose a new query in the
Search Query Display.

**Select a search number (#)
to:**

- Add a query to the Search
  Query Display

- Combine search queries
  using AND, OR, or NOT

- Delete a search

- Run a search

Recent Search Queries   Results

#1   ((stream looping)<in>metadata)   0

#2   ((pointer handling)<in>metadata)   1

Indexed by:
Inspec

Help   Contact Us   Privacy & Security   IEEE.org
© Copyright 2006 IEEE – All Rights Reserved

Google™

Web   Images   Groups   News   Froogle   Maps   **more »**

"stream looping"   Search   Advanced Search
                                      Preferences

Web

Results **1 - 10** of about **182** for "**stream looping**". (**0.13** seconds)

Mailing list archives
Subject, console **stream looping** Error. Please help. Date, Fri, 18 Jun 2004 14:19:26 GMT.
Hi I'm log4j (v 1.2.8) in my web application for logging purposes. ...
mail-archives.apache.org/.../200406.mbox/ %
3C20040618141926.44350.qmail@web40106.mail.yahoo.com%3E - 6k -
Cached - Similar pages

Mailing list archives
An: log4j-user@jakarta.apache.org com> Kopie: Thema: console **stream looping** Error.
Please help 18.06.2004 16:19 Bitte antworten an "Log4J Users List" Hi I'm ...
mail-archives.apache.org/mod_mbox/logging-log4j-user/ 200406.mbox/%
3COF19C10997.912AA5BB-ONC1256EB7.0058AD... - 8k - Cached - Similar pages
[More results from mail-archives.apache.org]

gmane.comp.jakarta.log4j.user
Subject: Antwort: console **stream looping** Error. Please help ... An: log4j-user <at>
jakarta.apache.org com> Kopie: Thema: console **stream looping** Error. ...
blog.gmane.org/gmane.comp. jakarta.log4j.user/day=20040618 - 45k -
Cached - Similar pages

FMOD SoundSystem :: View topic - Looping and isPlaying() problem ...
Which one have I to use in order to make my **stream looping** ? All three of them ? thanks
for any help , Davide. Back to top ...
www.fmod.org/forum/viewtopic.php?p=19289& sid=b48b643783b6eb37e43571c94af06d27
- 48k - Supplemental Result - Cached - Similar pages

Tektronix: Products > ISDB-T RF Signal Generator - RTX100A ...
The RTX100A offers continuous, error free transport **stream looping** for long duration
playout, and PCR jitter insertion for stressing designs. ...
www.tektronix.com/site/ps/0,,25-18915-INTRO_EN,00.html - 26k - Cached - Similar pages

mug-archive: Re: StreamPlaying and StreamStopped Events
In this case (**stream looping**), shall a streamPlaying event be generated >> immediately
after the streamStopped event ? > >Interesting question. ...
www.mheg.org/users/mheg/ archives/mailarchive-1998/0075.html - 8k -
Cached - Similar pages

mug-archive: Re: StreamPlaying and StreamStopped Events
In this case (**stream looping**), shall a streamPlaying event be generated > immediately
after the streamStopped event ? Interesting question. ...
www.mheg.org/users/mheg/ archives/mailarchive-1998/0074.html - 5k -
Cached - Similar pages
[More results from www.mheg.org]

biodustrial.com :: View topic - Stream
Is the **stream looping** for anyone else? _____ Sand descends with blind
intent. Back to top. View user's profile · Send private message · AIM ...
www.biodustrial.com/forums/viewtopic.php?t=52&
highlight=&sid=925287cc0b14e2eefeda45370158904a - 16k - Cached - Similar pages

fastest mpeg encoder answers
Glitch-less looping places restrictions on the MPEG encoding, the multiplexing, the server
(or system that controls the MPEG **stream looping**) and the MPEG ...
www.pixeltools.com/answers.html - 71k - Cached - Similar pages

MARC: list 'log4j-user' Search: [ ] Subjects [ ] Authors ...
2004 - 06 - 18 [1] console **stream looping** Error . Please help log4j - use Naresh Agarwa
29 . 2004 - 06 - 18 [4] How to use SMTPAppender for info ...
marc.10east.com/?l=log4j-user& r=1&b=200406&w=2 - Supplemental Result -
Similar pages

Try your search again on Google Book Search

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

["stream looping"] [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Web   Images   Groups   News   Froogle   Maps   **more »**

Google

advantage pointer

[Search]   Advanced Search
Preferences

Web   Results **1 - 10** of about **12,700,000** for **advantage pointer**. **(0.09** seconds)

[PDF] **Pointers** and Memory
File Format: PDF/Adobe Acrobat - View as HTML
more entities can cooperatively share a single memory structure is a key **advantage** of.
pointers in all computer languages. **Pointer** manipulation is just ...
cslibrary.stanford.edu/102/PointersAndMemory.pdf - Similar pages

I-Hacked.com Taking **Advantage** Of Technology - Transmit Audio with ...
Using a simple laser pen **pointer**, a few misc parts, and about 15 minutes, ... Since there
are many different styles of laser **pointer**, you may have to ...
www.i-hacked.com/content/view/162/44/ - 34k - Cached - Similar pages

I-Hacked.com Taking **Advantage** Of Technology - Transmit Audio with ...
Using a simple laser pen **pointer**, a few misc parts, and about 15 minutes, ... Connect a clip
lead to the inside of the laser **pointer** where the battery ...
www.i-hacked.com/index.php?option=com_ content&task=view&id=162&Itemid=44 - 34k -
Cached - Similar pages

AskTog: A Quiz Designed to Give You Fitts
The prime pixel is located at the current location of the mouse **pointer**. ... The other
"**advantage**" usually ascribed to a menu bar at the top of each window ...
www.asktog.com/columns/022DesignedToGiveFitts.html - 31k - Cached - Similar pages

Tagged **pointer** - Wikipedia, the free encyclopedia
Often, the tag in a tagged **pointer** will be "folded" into the data representing the **pointer**,
taking **advantage** of one of the following properties of **pointers**: ...
en.wikipedia.org/wiki/Tagged_**pointer** - 17k - Cached - Similar pages

Function **pointer Advantage** - C
Function **pointer Advantage**, a discussion topic in our C forum. Join us for more
discussions on software, scripts, programming, C and Function **pointer** ...
www.thescripts.com/forum/thread214778.html - 52k - Cached - Similar pages

Visual C++ Internals and Practices : Behind the Design: Handles
Because handles were freed from the compatibility of **pointers**, they were designed to
afford the programmer all the **advantages** of **pointers** while providing ...
blogs.msdn.com/branbray/archive/2003/11/17/51016.aspx - 33k - Cached - Similar pages

IBM CICS Transaction Gateway for Multiplatforms V6.0 includes ...
A CD-ROM containing the Program; A CD-ROM containing the Publications; A Product
Information Card; A Passport **Advantage Pointer** Sheet ...
www-306.ibm.com/.../ssi/ssialias?infotype=an&
subtype=ca&supplier=897&letternum=ENUS204-284 - 69k - Cached - Similar pages

Windows XP Accessibility Tips and How-to Articles
Learn how to take **advantage** of scrollbar and window border size, desktop icons, high
contrast ... Learn how to hide the **pointer** while typing in Windows XP . ...
https://www.microsoft.com/windowsxp/ using/accessibility/default.mspx - 48k -
Cached - Similar pages

Synaps Epogy and **Pointer** - Company **Advantage**
Synaps, Inc. and its Epogy and **Pointer** software provide process integration.
www.synaps-inc.com/about.html - 14k - Cached - Similar pages

Try your search again on Google Book Search

Goooooooooogle ▶
Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Speed up the web. Download the Google Web Accelerator.

| advantage pointer | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google